

EXPRESSION PRO



Perfect form every angle. Expressive with every cup.

④

Display

New easy-to-use TFT color touchscreen.

⑤

Filter holder

New, more ergonomic filter holders.

⑥

Lever steam

New steam levers with improved ergonomony and redesigned steam wands.

⑦

Gauge

New, elegantly designed gauge. Improved visibility for checking pressure which allows for extraordinary steaming.

⑧

Drip tray

Bigger means increased comfort and greater freedom of movement.

①

Black & White

Available in matte (black) or glossy (white) finish.

②

Backlit led lights front panel

Stainless steel front panel with backlit work space.

③

Touch pads

New flat screen touchpads, soft to the touch.



CREATED FOR THE EXPERIENCED BARISTA

Touch. Play. Enjoy

The Expression Pro has multiple functions and programmes accessible from the touchscreen, allowing you to accurately control and automate the extraction parameters based on your criteria and objectives.

Manage your Stock of Coffee and machine maintenance via the integrated intelligent control system that is supplied internet-enabled.

FEATURED FUNCTIONS

Colour touchscreen with intuitive menu and access to multiple programmes and functions.

Log the number of coffees made per dose.

Programme the coffee dose, either in millilitres or timed..

Monitor the automatic group cleaning system.

Programme the amount of water consumed.

Programme the level sensor according to water hardness.

Programme the steam temperature and offset of the actual milk temperature (both optional).

Programme the technical support telephone number in case of a maintenance issue.

Auto on/off with the option to set up different programmes for different days.

Telemetry System with Machine to Machine Connectivity to an IoT platform (Internet of Things) to automatically manage your stockholding of coffee and monitor the maintenance requirements of your machine (optional).



The Expression of a perfect coffee is a reliable machine

The Expression Pro is designed for demanding environments, both in terms of workload capacity and brewing quality. It has a double boiler system, one boiler extracts the coffee and controls optimal parameters to the millimetre, and the other boiler generates steam for the milk with an actual temperature

offset system. View and control all of the machines parameters and functions intuitively by using the touchscreen, including the programming of coffee doses in millilitres or timed. This also features a system for contacting the technical service team in the event of a maintenance issue.



2 GROUPS

COFFEE

3 L

STEAM

8.4 L

3 GROUPS

4 L

11.5 L



↑
Beatriz García Rey, Iberital's barista joined us in presenting the Expression Pro at Hostelco 2016.

←
CaféBeatriz is the limited edition blend, chosen by Beatriz García, which was served during the machines demonstration.



The most advanced technology to extract the best coffee

TECHNICAL SPECIFICATIONS

Boiler capacity:

2GR: coffee 3L | steam 8.4L · 3GR: coffee 4L | steam 11.5L

Heating element:

2GR & 3GR: coffee 1,000W | steam 3,000W

Front panel can be removed enabling easy access inside the machine.

Boiler drain tap located in center of drip tray.

Contactor 25A and static relay built-in.

Lever steam valves.

Anti-splash hot water outlet.

Automatic boiler fill.

Heating element protector device.

Internal motor and pump.

Weight:

2GR: 64Kg · 3GR: 84Kg

Note: In High Cup version, machine height is 485mm, both 2G and 3G models.

DIMENSIONS



2G



3G



1016 mm

A 360° coffee experience

**The Expression Pro is a precision tool
for handling complex coffee blends
and extracting the most delicate notes.
It is designed to be an inspirational
and superior machine.**

T. +34 93 632 64 55
F. +34 93 632 71 33
iberital@iberital.com
www.iberital.com